

# LED

# Filament GLS

## LED 5.7W Dimmable Clear Filament GLS - ES - 4000K

**Part Code: 60773**

The LED Filament Range combines LED technology with the elegance of Incandescent Lamps. Creating a welcoming atmosphere with a retro feel, our LED Filament Range offers smooth dimming on rotary and digital dimming systems. The Filament GLS is an all rounder for decorative applications due to the wide range of wattages we offer.

- LED Technology with the elegance of Incandescent Lamps
- Creates a welcoming atmosphere with retro feel
- Argon gas filled to improve life
- Smooth dimming on rotary and digital dimming systems
- Compatible with most branded Trailing Edge Dimmers, including the BELL Smart Universal LED Trailing/Leading Edge Dimmer Module Code: 10803



**85**

Colour Rendering Index



**3 Year**

Guarantee



**15,000**

Life Hours



**80**

Lumens Maintenance Ratio



# LED

# Filament GLS



<b>Product Category</b>	Lamps / LED
<b>Application</b>	LED Filament GLS
<b>Product Warranty</b>	3 Years
<b>EAN</b>	5013588607733
<b>Commodity Code</b>	8539520000
<b>Country of Origin</b>	CN

## Technical Specification

Wattage (W)	5.7
Equivalent Wattage (W)	60
Volts (V)	240
Colour Temperature (K)	4000
Lumen Output (lm)	810
Lumens per Watt (lm/W)	143
CRI (ra)	85
Frequency (Hz)	50/60
Energy Consumption (kWh/1000h)	6
Life Hours	15000
Switching Cycles	8000
Energy Rating	D
Lumen Maintenance Ratio	80

## Packaging Information

Minimum Order Quantity	1
Height (mm)	102
Diameter (mm)	60
Individual Product Weight (kg)	0.033
Single Box Weight (kg)	0.052
Single Box Height (mm)	125
Single Box Width (mm)	65
Single Box Depth (mm)	65
Single Box Volume	0.00053
Inner Box Qty	10
Inner Box Barcode	6077300000010
Inner Box Weight (kg)	0.65
Inner Box Height (mm)	140
Inner Box Width (mm)	340
Inner Box Depth (mm)	140
Inner Box Volume	0.00666
Outer Box Qty	100
Outer Box Barcode	6077300000100
Outer Box Weight (kg)	6.92
Outer Box Height (mm)	290
Outer Box Width (mm)	730
Outer Box Depth (mm)	360
Outer Box Volume	0.07621
UNSPSC Code	39101628

# LED

# Filament GLS

Additional Information	
Beam Angle	300°
Cap	ES